

ArrayList methods (10.1)

<code>add (value)</code>	appends value at end of list
<code>add (index, value)</code>	inserts given value just before the given index, shifting subsequent values to the right
<code>clear ()</code>	removes all elements of the list
<code>indexOf (value)</code>	returns first index where given value is found in list (-1 if not found)
<code>get (index)</code>	returns the value at given index
<code>remove (index)</code>	removes/returns value at given index, shifting subsequent values to the left
<code>set (index, value)</code>	replaces value at given index with given value
<code>size ()</code>	returns the number of elements in list
<code>toString ()</code>	returns a string representation of the list such as "[3, 42, -7, 15]"

ArrayList methods 2

<code>addAll (list)</code> <code>addAll (index, list)</code>	adds all elements from the given list to this list (at the end of the list, or inserts them at the given index)
<code>contains (value)</code>	returns true if given value is found somewhere in this list
<code>containsAll (list)</code>	returns true if this list contains every element from given list
<code>equals (list)</code>	returns true if given other list contains the same elements
<code>iterator ()</code> <code>listIterator ()</code>	returns an object used to examine the contents of the list (seen later)
<code>lastIndexOf (value)</code>	returns last index value is found in list (-1 if not found)
<code>remove (value)</code>	finds and removes the given value from this list
<code>removeAll (list)</code>	removes any elements found in the given list from this list
<code>retainAll (list)</code>	removes any elements <i>not</i> found in given list from this list
<code>subList (from, to)</code>	returns the sub-portion of the list between indexes from (inclusive) and to (exclusive)
<code>toArray ()</code>	returns the elements in this list as an array

Type Parameters (Generics)

```
ArrayList<Type> name = new ArrayList<Type>();
```

- When constructing an `ArrayList`, you must specify the type of elements it will contain between `<` and `>`.
 - This is called a *type parameter* or a *generic* class.
 - Allows the same `ArrayList` class to store lists of different types.

```
ArrayList<String> names = new ArrayList<String>();  
names.add("Marty Stepp");  
names.add("Stuart Reges");
```

ArrayList vs. array

- construction

```
String[] names = new String[5];
```

```
ArrayList<String> list = new ArrayList<String>();
```

- storing a value

```
names[0] = "Jessica";
```

```
list.add("Jessica");
```

- retrieving a value

```
String s = names[0];
```

```
String s = list.get(0);
```

ArrayList vs. array 2

- doing something to each value that starts with "B"

```
for (int i = 0; i < names.length; i++) {  
    if (names[i].startsWith("B")) { ... }  
}
```

```
for (int i = 0; i < list.size(); i++) {  
    if (list.get(i).startsWith("B")) { ... }  
}
```

- seeing whether the value "Benson" is found

```
for (int i = 0; i < names.length; i++) {  
    if (names[i].equals("Benson")) { ... }  
}
```

```
if (list.contains("Benson")) { ... }
```